


**IN THE CLAIMS**

Please cancel claim 2 and please replace original claims 1, 19, and 25 with amended claims 1, 19 and 25 as follows:

1. (Amended) A cosmetic composition comprising a cosmetically acceptable medium and at least one ingredient chosen from compounds of formula (I) and salts thereof:




in which the radicals R1 to R8, which may be identical or different, are chosen from:

- a hydrogen atom;
- a halogen atom;
- a hydroxyl radical;
- an amino radical -NRR', wherein R and R', which may be identical or different, are each a unit chosen from a hydrogen atom and linear, branched and cyclic, saturated and unsaturated hydrocarbon-based radicals comprising from 1 to 36 carbon atoms;
- a nitro radical;
- an alkylamido radical -NH-CO-R'' wherein R'' is a unit chosen from linear, branched and cyclic, saturated and unsaturated hydrocarbon-based radicals comprising from 1 to 36 carbon atoms;
- a ureido radical -NH-CO-NH-R''' wherein R''' is a unit chosen from a hydrogen atom and linear, branched and cyclic, saturated and unsaturated hydrocarbon-based radicals comprising from 1 to 36 carbon atoms;

LAW OFFICES


FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

- an alkylurethane radical of formula  $-O-CO-NHR'''$  wherein  $R'''$  is a unit chosen from linear, branched and cyclic, saturated and unsaturated hydrocarbon-based radicals comprising from 1 to 36 carbon atoms;
- a dialkylsiloxane radical of formula:



in which

- Sub B1 Cont
- $n$  is an integer ranging from 1 to 12;
  - $R_a$  and  $R'a$ , which may be identical or different, are each a unit chosen from linear, branched and cyclic, saturated and unsaturated hydrocarbon-based radicals comprising from 1 to 36 carbon atoms, wherein the unit may optionally comprise from 1 to 12 hetero atoms chosen from O, N, S and Si and, wherein the unit may be optionally substituted with at least one substituent;
  - a trialkylsilane radical of formula:



in which  $R_b$ ,  $R'b$  and  $R''b$ , which may be identical or different, are each a unit chosen from linear, branched and cyclic, saturated and unsaturated hydrocarbon-based radicals comprising from 1 to 36 carbon atoms, wherein the unit may optionally comprise from 1 to 12 hetero atoms

chosen from O, N, S and Si and, wherein the unit may be optionally substituted with at least one substituent; and

- a unit chosen from linear, branched and cyclic, saturated and unsaturated hydrocarbon-based radicals comprising from 1 to 36 carbon atoms, wherein the unit may optionally comprise from 1 to 12 hetero atoms chosen from O, N, S and Si and, wherein the unit may be optionally substituted with at least one substituent;
- wherein at least one of the pair of radicals R1 with R2 and R3 with R4, together with the carbon atoms to which they are attached, may optionally form a ring chosen from a saturated ring and an unsaturated ring, the ring comprising from 5 to 6 carbon atoms in total, wherein the ring may optionally comprise at least one hetero atom chosen from O, N and S, and, wherein the ring may be optionally substituted with at least one substituent;
- wherein the radicals R2 and R3, together with the carbon atoms to which they are attached, may optionally form a ring chosen from a saturated ring and an unsaturated ring, the ring comprising from 5 to 6 carbon atoms in total, wherein the ring may optionally comprise at least one hetero atom chosen from O, N and S, and, wherein the ring may be optionally substituted with at least one substituent, and wherein the cosmetically acceptable medium comprises at least one ingredient chosen from alcohols, surfactants, thickeners, film-forming polymers, plasticizers, fatty phases, particulate phases, water-soluble dyes, liposoluble dyes, antioxidants, fragrances, essential oils, preserving agents, lipophilic cosmetic active agents, hydrophilic cosmetic active agents, moisturizers, vitamins, fatty acids, sphingolipids, self-tanning agents, sunscreens, antifoaming agents, sequestering agents and antioxidants.

19. (Amended) The composition according to claim 1, wherein the cosmetically acceptable medium comprises a suspension, a dispersion, a solution in solvent medium which is optionally thickened, a solution in aqueous-alcoholic medium which is optionally thickened, a gelled solution, an oil-in-water emulsion; a water-in-oil emulsion; a multiple emulsion; a gel; a mousse; an emulsified gel; a dispersion of

LAW OFFICES


FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& LUNN, P.C.  
1300 STREET, N.W.  
WASHINGTON, DC 20005  
202-408-2000

Sub B1  
Cont  
H2

vesicles; a two-phase lotion; a multiphase lotion; a spray; a free powder; a powder compact; a cast powder; or an anhydrous paste.


A3

25. (Amended) A make-up product for body, skin, lips or for keratin fibers, a care product for facial or body skin, an antisen composition, an artificial tanning composition, or a hair composition comprising a cosmetically acceptable medium and at least one ingredient chosen from compounds of formula (I) and salts thereof:




in which the radicals R1 to R8, which may be identical or different, are chosen from:

- Sub B1  
Cont
- a hydrogen atom;
  - a halogen atom;
  - a hydroxyl radical;
  - an amino radical -NRR', wherein R and R', which may be identical or different, are each a unit chosen from a hydrogen atom and linear, branched and cyclic, saturated and unsaturated hydrocarbon-based radicals comprising from 1 to 36 carbon atoms;
  - a nitro radical;
  - an alkylamido radical -NH-CO-R'' wherein R'' is a unit chosen from linear, branched and cyclic, saturated and unsaturated hydrocarbon-based radicals comprising from 1 to 36 carbon atoms;
  - a ureido radical -NH-CO-NH-R''' wherein R''' is a unit chosen from a hydrogen atom and linear, branched and cyclic, saturated and unsaturated hydrocarbon-based radicals comprising from 1 to 36 carbon atoms;
  - an alkylurethane radical of formula -O-CO-NHR''' wherein R''' is a unit chosen from linear, branched and cyclic, saturated and unsaturated hydrocarbon-based radicals comprising from 1 to 36 carbon atoms;
  - a dialkylsiloxane radical of formula:



in which

- n is an integer ranging from 1 to 12;
- Ra and R'a, which may be identical or different, are each a unit chosen from linear, branched and cyclic, saturated and unsaturated hydrocarbon-based radicals comprising from 1 to 36 carbon atoms, wherein the unit may optionally comprise from 1 to 12 hetero atoms chosen from O, N, S and Si and, wherein the unit may be optionally substituted with at least one substituent;
- a trialkylsilane radical of formula:



- in which Rb, R'b and R''b, which may be identical or different, are each a unit chosen from linear, branched and cyclic, saturated and unsaturated hydrocarbon-based radicals comprising from 1 to 36 carbon atoms, wherein the unit may optionally comprise from 1 to 12 hetero atoms chosen from O, N, S and Si and, wherein the unit may be optionally substituted with at least one substituent; and
- a unit chosen from linear, branched and cyclic, saturated and unsaturated hydrocarbon-based radicals comprising from 1 to 36 carbon atoms, wherein the unit